

The R35 Continuous Seed Treater is designed for sophisticated treatments of volume seeds and top of the line application quality.

You can connect remotely with any device through internet and supervise your process for quality control or technical support.

## NoroGard **westrup** R35 Continuous Seed Treater



CAPACITY  
12.6-31,5 ton/hour

The R35 Continuous Seed Treater is suitable for seed plants with a need for sophisticated treatment of cereals, corn, peas, soy beans, OSR, cotton, sunflowers etc.

**NoroGard**  **westrup**



# R35 Continuous Seed Treater

The Continuous Seed Treater meets the requirements for:

- Correct Dosage Rate
- High Application Quality
- Easy to Operate and Clean
- Operator Safety
- Reliability
- High Quality
- Minimal Service Needed

**The Continuous Seed Treater are recommended for production of volume seeds. The treater has an even flow of both seeds and the treating liquids that is continuously measured.**

Control system with manual calibration is made by pumping the treating liquid to a separate measuring glass in a closed system. When the settings and calibrations are made, the machine runs continuously. It is also possible to get an even more sophisticated supervision system with a larger size touch screen. By adding our ULD Control system to your system you get an automatic calibration of dosage rates for both liquids and powders, and a continuous flow control of dosage rates.

The R35 control system provides remote connection via LAN to our service department and/or connection from an optional device like mobilephone, tablet or computer to supervise your operations.

All internet traffic is free during warranty, then you choose between continued support or independency.

The treatment as well as the treater's handling of the treatment liquid, from barrel to treating, takes place in a closed system. You can add up to 10 separate liquid dosage systems, make adjustments and operate from a touchscreen with display.


All vital parts are easily accessible for cleaning and service which makes the R35 fast up and running again after cleaning. By a simple cleaning you prevent the build-up of chemicals in the machine.

With modern complex treatments R35 will allow you to apply treatment evenly in small dosages for good economy and correct treatment of each individual seed.


The R35 is approved for the European CE workers safety standards.

## TECHNICAL SPECIFICATION

Power requirement	12 kW
Capacity [wheat with density 760 kg/m <sup>3</sup> ]	12.6-31.5 ton/hour
Dosage system	4-10 [see options]
Dosage rate [per system]	50-1200 ml/100kg
Weight	750 kg
Width	800 mm
Depth	2540 mm
Height	2070 mm Orgalime
Warranties	S2012



Our technology is built to last for 20 years.



Calibration of the dosage system is easily operated and controlled in a closed system.

## OPTIONS

- R35, Schneider PLC controlled w. our own software including recipe management and manual calibration.
- or
- R35 ULD, Schneider PLC controlled w. our own software including recipe management and automatic calibration with continuous flow control.
- Remote control cabinet consisting of a touch panel and a start/stop button. Should preferably be placed at the filling up station.
- Added separate dosing systems, maximum 10, for liquids. Each dosage system has a capacity of 50-1200 ml/100kg seeds.
- Powder feeding system.
- Double mixing tubes.
- Batch recipes and statistics sent via email.
- Hectolitre weigher to control the hectolitre weight.
- Customization for treatment of grass seed.

## TECHNICAL SPECIFICATION OPTIONAL CONTROL SYSTEMS

	R35	R35 ULD
Continuous control of dosage rates	-	Yes
Touch screen	10"	15"
Remote access to PLC via LAN	Yes, connect to our service department and/or remote computer/device.	Yes, connect to our service department and/or remote computer/device.
PLC Control System	Schneider Electric and our own Control Software	Schneider Electric and our own Control Software
Calibration	Manually	Automatic
Self-cleaning outlet cone	Yes	Yes
Statistics Report	Yes	Yes

